

SAFETY DATA SHEET BLUECOL COOLANT 05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name BLUECOL COOLANT 05

Product number BHD001, BHD005, BHD200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product.

1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

1.4. Emergency telephone number

Emergency telephone +44 (0)161 764 5981

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 STOT RE 2 - H373

Environmental hazards Not Classified

2.2. Label elements

Pictogram





Signal word Warning

Revision date: 30/05/2016 Revision: 5 Supersedes date: 20/08/2015

BLUECOL COOLANT 05

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P314 Get medical advice/ attention if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/ container in accordance with national regulations. P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Contains ETHANEDIOL, SODIUM NITRITE

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANEDIOL 60-100%

CAS number: 107-21-1 EC number: 203-473-3 REACH registration number: 01-

2119456816-28-0000

Classification

Acute Tox. 4 - H302 STOT RE 2 - H373

SODIUM TETRABORATE PENTAHYDRATE 2.5-<5.0%

CAS number: 12179-04-3 EC number: 215-540-4 REACH registration number: 01-

2119490790-32-0000

Classification

Eye Irrit. 2 - H319 Repr. 1B - H360Fd

SODIUM BENZOATE 2.5-<5.0%

CAS number: 532-32-1 EC number: 208-534-8 REACH registration number: 01-

2119460683-35-0000

Classification

Eye Irrit. 2 - H319

SODIUM NITRITE 0.5-<1%

CAS number: 7632-00-0 EC number: 231-555-9 REACH registration number: 01-

2119471836-27-0000

M factor (Acute) = 1

Classification

Ox. Sol. 3 - H272 Acute Tox. 3 - H301 Aquatic Acute 1 - H400

BLUECOL COOLANT 05

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Move affected person to fresh air and keep

warm and at rest in a position comfortable for breathing. Remove affected person from source

of contamination.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Show this Safety Data Sheet to the medical personnel.

Ingestion Get medical attention. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep

affected person under observation. Get medical attention if any discomfort continues. Show

this Safety Data Sheet to the medical personnel.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Rinse with

water. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye. Get medical attention

promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation Upper respiratory irritation. Difficulty in breathing.

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact Prolonged skin contact may cause redness and irritation. Allergic rash.

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not relevant. No unusual fire or explosion hazards noted.

Hazardous combustion

Does not decompose when used and stored as recommended.

products

firefighting

5.3. Advice for firefighters

Protective actions during

J

No specific firefighting precautions known.

Special protective equipment

Leave danger zone immediately.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

BLUECOL COOLANT 05

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces. Avoid inhalation of spray mist and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Collect and dispose of

spillage as indicated in Section 13.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Small Spillages: Flush contaminated area with plenty of

water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsGood personal hygiene procedures should be implemented. Wash hands and any other

contaminated areas of the body with soap and water before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid inhalation of vapours/spray and

contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

All handling should only take place in well-ventilated areas.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Revision date: 30/05/2016 Revision: 5 Supersedes date: 20/08/2015

BLUECOL COOLANT 05

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

> a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves.

Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures Provide eyewash station and safety shower. Wash contaminated clothing before reuse. Wash

hands after contact. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid. Colour Yellow.

Odour Characteristic. Odour threshold Not determined.

Ηα pH (concentrated solution): 6.0 - 7.0

Melting point -12°C

Initial boiling point and range >197°C @ 1.013 hPa

Flash point 111°C

Evaporation rate Not determined. Not determined.

Upper/lower flammability or

explosive limits

Vapour pressure 0.05 kPa @ 20°C

Vapour density Not determined.

Relative density 1.11g/cm3 @ 20°C

Solubility(ies) Miscible with water.

Partition coefficient : -1.36 400°C **Auto-ignition temperature**

Not determined. **Decomposition Temperature**

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Revision date: 30/05/2016 Revision: 5 Supersedes date: 20/08/2015

BLUECOL COOLANT 05

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

ATE oral (mg/kg) 769.82

Inhalation Vapours may irritate throat/respiratory system. A single exposure may cause the following

adverse effects: Coughing. Difficulty in breathing.

Ingestion Harmful if swallowed. Ingestion of large amounts may cause unconsciousness.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact May cause temporary eye irritation.

Acute and chronic health

hazards

May cause internal injury. INGESTION. May cause damage to organs (Kidneys) through

prolonged or repeated exposure if swallowed.

Target organs Kidneys

Medical symptoms Unconsciousness.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100mg/l mg/l, Algae

Acute toxicity - aquatic

invertebrates

EC50, 48 hours: >100mg/l mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: >100mg/l mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient : -1.36

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

Revision date: 30/05/2016 Revision: 5 Supersedes date: 20/08/2015

BLUECOL COOLANT 05

Adsorption/desorption

coefficient

Not available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and

local regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

BLUECOL COOLANT 05

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 30/05/2016

Revision 5

Supersedes date 20/08/2015 SDS status Approved.

Hazard statements in full H272 May intensify fire; oxidiser.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.