

# SAFETY DATA SHEET GASTITE RED

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME GASTITE RED

PRODUCT NO. GRG050

INTERNAL ID C

APPLICATION Sealant

SUPPLIER TETROSYL LIMITED

**BEVIS GREEN WORKS** 

**WALMERSLEY** 

BURY BL9 6RE 0161 764 5981 0161 797 5899 info@tetrosyl.com

### **2 HAZARDS IDENTIFICATION**

Highly flammable.

CLASSIFICATION (1999/45) F;R11.

**HUMAN HEALTH** 

See section 11 for additional information on health hazards.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

# **4 FIRST-AID MEASURES**

### **GENERAL INFORMATION**

Remove affected person from source of contamination. Get medical attention immediately!

# **INHALATION**

Move injured person into fresh air immediately. Call an ambulance. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Bring these instructions. Place unconscious person on the side in the recovery position and ensure breathing can take place.

#### **INGESTION**

Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

#### SKIN CONTACT

Remove contaminated clothing immediately and wash skin with soap and water. Consult a physician for specific advice. Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

# **EYE CONTACT**

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Immediately transport to hospital or eye specialist.

# **5 FIRE-FIGHTING MEASURES**

# **EXTINGUISHING MEDIA**

Use fire-extinguishing media appropriate for surrounding materials.

Report Date: 11/05/2011 2 / 4

### **GASTITE RED**

SDS No.

17266

#### SPECIAL FIRE FIGHTING PROCEDURES

Beware, risk of formation of toxic and corrosive gases.

SPECIFIC HAZARDS

In case of fire, toxic and corrosive gases may be formed.

PROTECTIVE MEASURES IN FIRE

Leave danger zone immediately.

### **6 ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces.

#### **ENVIRONMENTAL PRECAUTIONS**

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

#### SPILL CLEAN UP METHODS

For waste disposal, see section 13. When dealing with a spillage, please consult the section relating to suitable protective measures. Absorb spillage with non-combustible, absorbent material. Ventilate well. Prevent discharge of larger quantity to drain.

# **7 HANDLING AND STORAGE**

#### **USAGE PRECAUTIONS**

Read and follow manufacturer's recommendations. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product.

### STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Store in tightly closed original container in a dry, cool and well-ventilated place.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

# PROTECTIVE EQUIPMENT







#### PROCESS CONDITIONS

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

### **ENGINEERING MEASURES**

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

## RESPIRATORY EQUIPMENT

Wear suitable respiratory protection. Check that mask fits tight and change filter regularly.

#### HAND PROTECTION

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Protection against this substance requires special consideration.

# **EYE PROTECTION**

Wear tight-fitting goggles or face shield.

### OTHER PROTECTION

Provide eyewash station. AVOID ALL SKIN AND RESPIRATORY CONTACT!

### **HYGIENE MEASURES**

Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.

Report Date: 11/05/2011 3 / 4 SDS No. 17266

### **GASTITE RED**

#### SKIN PROTECTION

Protection suit must be worn.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 10 STABILITY AND REACTIVITY

#### **STABILITY**

No particular stability concerns.

### 11 TOXICOLOGICAL INFORMATION

#### **HEALTH WARNINGS**

This chemical can be hazardous when inhaled and/or touched. This chemical may cause skin/eye irritation and burns (corrosive). May cause severe internal injury. Vapour from this chemical can be hazardous when inhaled.

#### **ROUTE OF ENTRY**

Inhalation. Ingestion. Skin and/or eye contact. Skin absorption.

# 12 ECOLOGICAL INFORMATION

#### **FCOTOXICITY**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## 13 DISPOSAL CONSIDERATIONS

# **GENERAL INFORMATION**

When handling waste, consideration should be made to the safety precautions applying to handling of the product. Only experts should be permitted to carry out disposal of this material.

# **DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

# 14 TRANSPORT INFORMATION

**GENERAL** 

Full protective clothing should be worn when handling this product.



PROPER SHIPPING NAME FLAMMABLE LIQUID, N.O.S. (INDUSTRIAL METHYLATED SPIRITS)

ENVIRONMENTALLY No.

**HAZARDOUS** 

SUBSTANCE/MARINE

**POLLUTANT** 

UN NO. ROAD 1993 ADR CLASS NO. 3

ADR CLASS Class 3: Flammable

liquids.

ADR PACK GROUP II
HAZARD No. (ADR) 33
ADR LABEL NO. 3
HAZCHEM CODE 3YE
UN NO. SEA 1993
IMDG CLASS 3

Report Date: 11/05/2011 4 / 4 SDS No. 17266

### **GASTITE RED**

IMDG PACK GR. II

EMS F-E, S-E UN NO. AIR 1993
AIR CLASS 3
AIR PACK GR. II

### 15 REGULATORY INFORMATION

### **LABELLING**



Highly Flammable

**RISK PHRASES** 

R11 Highly flammable.

SAFETY PHRASES

S2 Keep out of the reach of children.

S9 Keep container in a well-ventilated place.

S16 Keep away from sources of ignition - No smoking.

S46 If swallowed, seek medical advice immediately and show this

container or label.

Use only in well-ventilated areas.

S56 Dispose of this material and its container to hazardous or

special waste collection point.

# **16 OTHER INFORMATION**

**REVISION COMMENTS** 

NOTE: Lines within the margin indicate significant changes from the previous revision.

**ISSUED BY** 

Health & Safety Department

REVISION DATE 03/07/2006

REV. NO./REPL. SDS 1

**GENERATED** 

### **DISCLAIMER**

The information provided in this document has been compiled on the basis of our current knowledge and is believed to be in accordance with the requirements of the Dangerous Substances Directive, Dangerous Preparations Directive and Safety Data Sheets Directive. The information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. The conditions and extent of storage and use of material are outside of our control and within the control of the possessor or user. Consequently it is the responsibility of the possessor or user to satisfy themselves as to the completeness of such information and the suitability of the material for their own particular circumstances, conditions or use.