

PRODUCT INFORMATION SHEET

Tetrosyl Multipurpose Silicone Sealant 310ml Cartridge Range

Description:

Tetrosyl Multipurpose Silicone Sealant and Adhesive has been formulated to ensure – in use – a permanently flexible seal that will not crack, harden or dry out. Especially suitable for use as a replacement for pre-formed gaskets/joints. Available in black, white and clear.

Suitable for:

- Sumps
- Axles
- Thermostat
- Transmission housing
- Gear boxes

- Water pump
- Hydraulic & Pneumatic Assemblies
- Valve covers
- Oil pans

Properties

- Cures at room temperature to form a strong and flexible seal that is impervious to oils, coolants etc.
- Resists temperature extremes from -70 °C to 250 °C
- Provides excellent compression when set. Does not shrink.

Directions For Use:

To ensure a dependable seal – Surface preparation:

- 1. Dismantle parts to be sealed and remove old gasket material. Ensure that surfaces are flat and even.
- 2. Surface area must be clean, dry and free from grease key surface for improved adhesion if required.
- 3. Puncture seal at top of cartridge. Cut nozzle at an angle of 45° and screw on to cartridge. Insert cartridge into applicator gun as per illustration.
- 4. Apply to target surface pushing sealant ahead of cartridge in a uniform bead. Do not handle for at least 30 minutes to allow for tack free skin to form. Be careful not to allow product to get into oil ways.
- 5. Curing time (24 hours) approximately, subject to temperature of working environment. Do not use engine until cured.

NOTE:

- 1. Do not use in direct contact with fuel and do not apply to surfaces above 40 °C (104 °F).
- 2. Do not over paint sealant.

4/22/2009 Page 1 of 2



DISCLAIMER

This Product Information Sheet does not constitute to any extent a fitness for purpose warranty or a quality specification. It is intended to be indicative only of the general characteristics of the product(s) and may not be relied upon (in whole or in part) in substitution of nor as a supplement to any of the information and/or instructions and/or warnings set out on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet (which is available on request).

Neither of the publisher of this Product Information Sheet or the product(s) manufacturer accepts liability for the failure of any person to observe and follow the information and/or instructions and/or warnings on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet.

Any person selecting and using or causing the product(s) to be used for a specific purpose or any third party recommending the product(s) for a specific purpose without in either case first making all appropriate inquiries as to the suitability of the product(s) for the intended purpose does so at his/her/their own risk and no liability is accepted by the publisher or the product(s) manufacturer for any consequent loss, damage or injury, other than such liability as may not (by operation of law) be excluded.

This Product Information Sheet does not apply to the use of the product(s) in any combination or with other products or materials.

Users of a product or products marked "For Professional Use Only are deemed to declare and acknowledge for themselves professional levels of skill, knowledge, competence and experience in the selection and use of such product(s).

Product Information Sheets are updated from time to time and inquiries should be made on a regular basis to ensure that this is the latest version available.

TETROSYL LIMITED BEVIS GREEN WORKS WALMERSLEY BURY BL9 6RE 0161 764 5981 0161 797 5899 info@tetrosyl.com

4/22/2009 Page 2 of 2