

# SAFETY DATA SHEET WHITE SPIRIT

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name WHITE SPIRIT

Product number TWH200, TWH750

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL EUROPE

79 rue du chemin vert

59.273 Fretin

TEL: 03 20 28 06 30

qualite@tetrosyl-france.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

## 1.4. Emergency telephone number

**Emergency telephone** +44 (0)161 764 5981 (24 hrs)

# SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Flam. Liq. 3 - H226

Health hazards STOT SE 3 - H336 STOT RE 1 - H372 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 2 - H411

### 2.2. Label elements

## Hazard pictograms









Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

# WHITE SPIRIT

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

EUH066 Repeated exposure may cause skin dryness or cracking.

....orridatorr

HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS

Supplementary precautionary

statements

**Contains** 

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing vapour/ spray.

P314 Get medical advice/ attention if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool.

## 2.3. Other hazards

Not applicable.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

# HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS

60-100%

CAS number: — EC number: 919-446-0

#### Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336 STOT RE 1 - H372 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

## WHITE SPIRIT

General information Remove affected person from source of contamination. Effects may be delayed. Keep

affected person under observation. Move affected person to fresh air at once. Keep affected person away from heat, sparks and flames. Place unconscious person on the side in the recovery position and ensure breathing can take place. Keep the affected person warm and at

rest. Get prompt medical attention.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if

readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Never give anything by mouth to an unconscious person. Keep affected person away from heat, sparks

and flames.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye. Get medical attention if any

discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation Vapours in high concentrations are anaesthetic. Symptoms following overexposure may

include the following: Headache. Fatigue. Dizziness. Central nervous system depression.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Congestion of the lungs may occur, producing

severe shortness of breath.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** May cause temporary eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor 
No specific recommendations. If in doubt, get medical attention promptly.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Use fire-extinguishing

media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). May form explosive mixture with

air at very high concentration.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## 5.3. Advice for firefighters

Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

## WHITE SPIRIT

Protective actions during

No specific firefighting precautions known.

firefighting

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use suitable respiratory protection if ventilation is inadequate. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. In case of spills, beware of slippery floors and surfaces. For personal protection, see Section 8. Avoid inhalation of vapours and contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** 

Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Avoid discharge to the aquatic environment. Collect and dispose of spillage as indicated in Section 13.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

For waste disposal, see Section 13. Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Cover large spillages with alcohol-resistant foam. Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

Reference to other sections

For waste disposal, see section 13. For personal protection, see Section 8.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Eliminate all sources of ignition. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Do not eat, drink or smoke when using the product. Avoid inhalation of vapours/spray and contact with skin and eyes. Good personal hygiene procedures should be implemented. Mechanical ventilation or local exhaust ventilation may be required. Provide adequate ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep container tightly closed. Keep containers upright. Keep only in the original container. Avoid contact with oxidising agents. Do not store near heat sources or expose to high temperatures.

#### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

# Occupational exposure limits

No exposure limits known for ingredient(s).

## HYDROCARBONS, C9-12, N-ALKANES, ISOALKANES, CYCLICS, (2-25%) AROMATICS

Long-term exposure limit (8-hour TWA): WEL 600 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL

## WHITE SPIRIT

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

controls

Avoid inhalation of vapours. Observe any occupational exposure limits for the product or

ingredients. Provide adequate ventilation.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. It is recommended that gloves

are made of the following material: Nitrile rubber.

Other skin and body

protection

Provide eyewash station. Wear appropriate clothing to prevent repeated or prolonged skin

contact.

Hygiene measures When using do not eat, drink or smoke. Wash hands after contact. Wash at the end of each

work shift and before eating, smoking and using the toilet. Wash contaminated clothing before

reuse.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator

fitted with the following cartridge: Gas filter, type A2.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour aromatic hydrocarbons

Odour threshold Scientifically unjustified. Scientifically unjustified.

pH Scientifically unjustified.Melting point Scientifically unjustified.

Initial boiling point and range 150 - 200°C @

Flash point >=38°C Closed cup.

**Evaporation rate** 65 (diethyl ether = 1)

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 0.7 Upper flammable/explosive limit: 7

Vapour pressure <5 kPa @ °C

Vapour density Scientifically unjustified.

Relative density 0.785g/cm<sup>3</sup> @ 20°C

Solubility(ies) Immiscible with water.

Auto-ignition temperature >230°C

Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

## WHITE SPIRIT

**Decomposition Temperature** Scientifically unjustified.

0.95 m2/s @40 @ °C Viscosity

Not determined. **Explosive properties** Oxidising properties Not determined.

9.2. Other information

Other information None.

Volatile organic compound This product contains a maximum VOC content of 795 g/litre.

## SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity Oxidising materials.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not relevant.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Acute toxicity - dermal

Based on available data the classification criteria are not met. Summary

Acute toxicity - inhalation

Based on available data the classification criteria are not met. Summary

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation

Based on available data the classification criteria are not met. Summary

Skin sensitisation

Summary Based on available data the classification criteria are not met. Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

## WHITE SPIRIT

Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met. Summary

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity

Based on available data the classification criteria are not met. Summary

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

Aspiration hazard

Summary Based on available data the classification criteria are not met.

General information Prolonged and repeated contact with solvents over a long period may lead to permanent

health problems.

Inhalation Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause

chemical pneumonitis.

Ingestion Harmful: may cause lung damage if swallowed. Pneumonia may be the result if vomited

material containing solvents reaches the lungs.

Skin contact Not a skin sensitiser.

Eye contact May cause temporary eye irritation.

Acute and chronic health

hazards

Route of exposure

Prolonged and repeated contact with solvents over a long period may lead to permanent

health problems.

Ingestion.

Medical considerations Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause

chemical pneumonitis.

## SECTION 12: Ecological information

**Ecotoxicity** The product contains substances which are toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment. The product contains volatile organic

compounds (VOCs) which have a photochemical ozone creation potential.

12.1. Toxicity

Acute aquatic toxicity Acute toxicity - fish

LC<sub>50</sub>, 96 hours: ~30mg/l mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 10 - 22mg/l mg/l, Daphnia magna

Acute toxicity - aquatic plants IC<sub>50</sub>, 72 hours: 4.1mg/l mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

## WHITE SPIRIT

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is immiscible with water and will spread on the water surface.

Adsorption/desorption

coefficient

Not available.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects Not available.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Confirm disposal procedures with environmental engineer and local regulations.

## SECTION 14: Transport information

# 14.1. UN number

**UN No. (ADR/RID)** 1300

**UN No. (IMDG)** 1300

**UN No. (ICAO)** 1300

**UN No. (ADN)** 1300

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

TURPENTINE SUBSTITUTE

Proper shipping name (IMDG) TURPENTINE SUBSTITUTE (CONTAINS WHITE SPIRIT)

Proper shipping name (ICAO) TURPENTINE SUBSTITUTE

Proper shipping name (ADN) TURPENTINE SUBSTITUTE

## 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Revision date: 07/04/2022 Revision: 13 Supersedes date: 25/01/2022

## WHITE SPIRIT

## Transport labels



## 14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III
ADN packing group III

## 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant



## 14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code 3Y

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

30

**Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78** 

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Regulatory Department

Revision date 07/04/2022

Revision 13

Supersedes date 25/01/2022 SDS status Approved.

# WHITE SPIRIT

Hazard statements in full H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H372 Causes damage to organs (Central nervous system) through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.