

#### SAFETY DATA SHEET CARLUBE FLUSHING OIL

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CARLUBE FLUSHING OIL
Product number	XFL455, XFL005
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
1.3. Details of the supplier of t	he safety data sheet
Supplier	TETROSYL EUROPE 79 rue du chemin vert 59.273 Fretin TEL: 03 20 28 06 30 qualite@tetrosyl-france.com
Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com
1.4. Emergency telephone nu	mber
Emergency telephone	+44 (0)161 764 5981 (24 hrs)
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	ance or mixture
Classification (SI 2019 No. 72	<u>0)</u>
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
2.2. Label elements Hazard statements	EUH208 Contains CALCIUM LONG CHAIN ALKARYL SULFONATE. May produce an allergic reaction.
Hazard statements	reaction. P101 If medical advice is needed, have product container or label at hand.
Hazard statements Precautionary statements	reaction. P101 If medical advice is needed, have product container or label at hand.

#### 3.2. Mixtures

Classification Asp. Tox. 1 - H304         The full text for all hazard statements is displayed in Section 16.         SECTION 4: First aid measures         4.1 Description of first aid measures         General information contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.         Inhelation       If spray/mist has been inhalted, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.         Ingestion       Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with w Skin contact         Remove contaminated clothing immediately and wash skin with scap and water. Get me attention if inflation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       General information         The severity of the symptoms described will vary dependent on the concentration and th length of exposure. Effects may be delayed. Keep affected person under observation.         Inhelation       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and nausea.         Ingestion       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If	DISTILLATES, HYDROTREA <3% DMSO EXTRACT (IP 34		10-<30%
Asp. Tox. 1 - H304         The full text for all hazard statements is displayed in Section 16.         SECTION 4: First ald measures         General information       Get medical attention if any discomfort continues. Remove affected person from source contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.         Inhalation       If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.         Ingestion       Contact physician if larger quantify has been consumed. Rinse mouth thoroughly with w         Skin contact       Remove contaminated clothing immediately and wash skin with scoap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       General information         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause irritation, redness and dematitis. All rash.         Eye contact       May cause temporary eye irritation.     <	CAS number: 64742-54-7	EC number: 265-157-1	UK REACH registration number: UK-01- 1759217276-5-0000
SECTION 4: First aid measures         4.1. Description of first aid measures         General information       Get medical attention if any discomfort continues. Remove affected person from source contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.         Inhalation       If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.         Ingestion       Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with wests attention if irritation persists after washing.         Eye contact       Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wa apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       General information         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.1. I			
4.1. Description of first aid measures         General information       Get medical attention if any discomfort continues. Remove affected person from source contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.         Inhalation       If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.         Ingestion       Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with w         Skin contact       Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Inhalation       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.1. Indication of any immediate medical attention and special treatment needed       Notes for the doctor         May cause temporary eye irritation.       Sectiffor recommediations. If in doubt, get medical	The full text for all hazard state	ements is displayed in Section 16.	
General information         Get medical attention if any discomfort continues. Remove affected person from source contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.           Inhalation         If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.           Ingestion         Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with w Skin contact           Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.           Eye contact         Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.           4.2. Most important symptoms and effects, both acute and delayed         General information           The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.           Inhalation         May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.           Skin contact         Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.           Eye contact         May cause temporary eye irritation.           4.3. Indication of any immediate medical attention and special treatment needed           Notes for the doctor         No specific recommendations. If in dou	SECTION 4: First aid measure	98	
contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.         Inhalation       If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing.         Ingestion       Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with w         Skin contact       Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       General information         The severity of the symptoms described will vary dependent on the concentration and th length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures       Extinguishing media <td>4.1. Description of first aid me</td> <td>asures</td> <td></td>	4.1. Description of first aid me	asures	
Ingestion       Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with w         Skin contact       Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms       and effects, both acute and delayed         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate       May cause temporary eye irritation.         5.1. Extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.	General information	contamination. Move affected person to fres	-
Skin contact       Remove contaminated clothing immediately and wash skin with soap and water. Get me attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed       General information         The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nuseea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable exti	Inhalation		-
attention if irritation persists after washing.         Eye contact       Rinse immediately with plenty of water. Remove any contact lenses and open eyelids w apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         5.1. Extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         Specific hazards	Ingestion	Contact physician if larger quantity has been	n consumed. Rinse mouth thoroughly with water.
apart. Continue to rinse for at least 15 minutes. Do not rub eye.         4.2. Most important symptoms and effects, both acute and delayed         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures       5.1. Extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         Specific hazards       Do not use water jet as an extinguisher, as this will spread the fire.         Specific hazards       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Skin contact		and wash skin with soap and water. Get medica
General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.         Inhalation       May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Eye contact		
InhalationIength of exposure. Effects may be delayed. Keep affected person under observation.InhalationMay cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.IngestionMay cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.Skin contactProlonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorNo specific recommendations. If in doubt, get medical attention promptly.SECTION 5: Firefighting measures5.1. Extinguishing mediaExtinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsFire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	4.2. Most important symptoms	and effects, both acute and delayed	
dizziness and nausea.         Ingestion       May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause na headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	General information		
headache, dizziness and intoxication.         Skin contact       Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. All rash.         Eye contact       May cause temporary eye irritation.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media         5.2. Special hazards arising from the substance or mixture         Specific hazards       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Inhalation	-	ath. Vapours may cause headache, fatigue,
rash.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorNo specific recommendations. If in doubt, get medical attention promptly.SECTION 5: Firefighting measures5.1. Extinguishing mediaExtinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishingDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsFire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Ingestion		use stomach pain or vomiting. May cause nausea
4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       No specific recommendations. If in doubt, get medical attention promptly.         SECTION 5: Firefighting measures       5.1. Extinguishing media         Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture       Site creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Skin contact		y cause irritation, redness and dermatitis. Allergic
SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media         5.2. Special hazards arising from the substance or mixture         Specific hazards         Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Eye contact	May cause temporary eye irritation.	
SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         Extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.         media         5.2. Special hazards arising from the substance or mixture         Specific hazards         Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	4.3. Indication of any immedia	te medical attention and special treatment nee	eded
5.1. Extinguishing media         Suitable extinguishing media         Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing       Do not use water jet as an extinguisher, as this will spread the fire.         media       5.2. Special hazards arising from the substance or mixture         Specific hazards       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Notes for the doctor	No specific recommendations. If in doubt, ge	et medical attention promptly.
Suitable extinguishing media       Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing       Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture         Specific hazards       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	SECTION 5: Firefighting meas	sures	
extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire. <b>5.2. Special hazards arising from the substance or mixture</b> Specific hazards       Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	5.1. Extinguishing media		
media5.2. Special hazards arising from the substance or mixtureSpecific hazardsFire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion	Suitable extinguishing media		
Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosio		Do not use water jet as an extinguisher, as t	his will spread the fire.
•	5.2. Special hazards arising fr	om the substance or mixture	
	Specific hazards		n dioxide (CO2). No unusual fire or explosion

Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Keep containers upright. Store in tightly-closed, original container.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters Occupational exposure limits	

No exposure limits known for ingredient(s).

#### DISTILLATES, HYDROTREATED HEAVY PARAFFINIC <3% DMSO EXTRACT (IP 346) (CAS: 64742-54-7)

DNEL	Workers - Inhalation; Long term systemic effects: 2.73 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.97 mg/kg
	General population - Oral; Long term systemic effects: 0.74 mg/kg
	Workers - Inhalation; Long term local effects: 5.58 mg/m <sup>3</sup>
	General population - Inhalation; Long term local effects: 1.19 mg/m <sup>3</sup>
	MINERAL OIL - H304 (<3% DMSO EXTRACT, IP 346) (CAS: 64742-55-8)
DNEL	Workers - Dermal; Long term systemic effects: 0.97 mg/kg
DIVEL	Workers - Inhalation; Long term local effects: 5.58 mg/m <sup>3</sup>
	Workers - Inhalation; Long term systemic effects: 2.73 mg/m <sup>3</sup>
	General population - Oral; Long term systemic effects: 0.74 mg/kg
	General population - Inhalation; Long term local effects: 1.19 mg/m <sup>3</sup>
	PHENOL, DODECYL-, BRANCHED (CAS: 121158-58-5)
DNEL	Workers - Dermal; Short term systemic effects: 166 mg/kg
	General population - Dermal; Long term systemic effects: 0.075 mg/kg
	General population - Inhalation; Short term systemic effects: 13.26 mg/m <sup>3</sup>
	General population - Inhalation; Long term systemic effects: 0.79 mg/m <sup>3</sup>
	General population - Oral; Long term systemic effects: 0.075 mg/kg
	Workers - Dermal; Long term systemic effects: 0.25 mg/kg
	General population - Oral; Short term systemic effects: 1.26 mg/kg Workers - Inhalation; Short term systemic effects: 44.18 mg/m <sup>3</sup>
	General population - Dermal; Short term systemic effects: 50 mg/kg
PNEC	Sediment (Marinewater); 0.027 mg/kg
	Soil; 0.118 mg/kg
	STP; 100 mg/l
	Sediment (Freshwater); 0.226 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates
	eye contact is possible. Unless the assessment indicates a higher degree of protection is
	required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if
	a risk assessment indicates skin contact is possible. It is recommended that gloves are made
	of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves.
	Frequent changes are recommended.
Other skin and body	Wear suitable protective clothing as protection against splashing or contamination.
protection	
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations.
SECTION 9: Physical and cl	hemical properties

#### 9.1. Information on basic physical and chemical properties

<u> </u>	<u> </u>
Appearance	Clear liquid.
Colour	Brown.
Odour	Oil-like.
Melting point	Not determined.
Initial boiling point and range	>250°C
Flash point	> 200°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.868
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	45 cSt @ 40°C
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Does not decompose when used and stored as recommended.

11.1. Information on toxicolog	ical effects
Toxicological effects	No information available.
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
SECTION 12: Ecological infor	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Acute aquatic toxicity	
Acute toxicity - fish	Not available.
Acute toxicity - aquatic invertebrates	Not available.
12.2. Persistence and degrad	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.

Partition coefficient	Not determined.
12.4. Mobility in soil	
Adsorption/desorption coefficient	Not available.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current UK criteria.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	<u>ds</u>
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
<b>14.2. UN proper shipping nam</b> Not applicable.	
14.3. Transport hazard class(	es)
No transport warning sign req	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su No.	ibstance/marine pollutant
14.6. Special precautions for u	ISET
Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code	
SECTION 15: Regulatory information	
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
15.2. Chemical safety assess	ment
No chemical safety assessme	nt has been carried out.

SECTION 16: Other information	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Regulatory Department
Revision date	09/03/2023
Revision	16
Supersedes date	07/04/2022
SDS status	Approved.
Hazard statements in full	H304 May be fatal if swallowed and enters airways. EUH208 Contains CALCIUM LONG CHAIN ALKARYL SULFONATE. May produce an allergic reaction.