

SAFETY DATA SHEET DEXRON III TRANSMISSION FLUID

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	DEXRON III TRANSMISSION FLUID
Product number	NBF500, NBF501, XTE100, XTE455, XTE500, YTE025
1.2. Relevant identified use	s of the substance or mixture and uses advised against
Identified uses	Engine oil.
1.3. Details of the supplier of	of the safety data sheet
Supplier	TETROSYL LIMITED
	Bury
	Lancashire
	England
	BL9 7NY
	0161 764 5981
	0161 797 5899
	info@tetrosyl.com
Manufacturer	TETROSYL LIMITED
	Bury
	Lancashire
	England
	BL9 7NY
	0161 764 5981
	0161 797 5899
	info@tetrosyl.com
1.4. Emergency telephone	number
Emergency telephone	+44 (0)161 764 5981
SECTION 2: Hazards ident	ification
2.1. Classification of the su	bstance or mixture
Classification (EC 1272/200	08)
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
	EUH208 Contains 2-PROPANOL, 1-(TERT-DODECYLTHIO) May produce an allergic reaction.

Precautionary statements	P273 Avoid release to the environment. P501 Dispose of contents/ container in acco P101 If medical advice is needed, have prod P102 Keep out of reach of children.	-
2.3. Other hazards		
SECTION 3: Composition/inf	ormation on ingredients	
3.2. Mixtures		
DISTILLATES (PETROLEU NAPHTHENIC. <3% DMSO	M), HYDROTREATED LIGHT EXTRACT	2.5-<5.0%
CAS number: 64742-53-6	EC number: 265-156-6	REACH registration number: 01- 2119480375-34-0000
Classification Asp. Tox. 1 - H304		
2-PROPANOL, 1-(TERT-DO	DDECYLTHIO)-	0.5-<1%
CAS number: 67124-09-8	EC number: 266-582-5	REACH registration number: 01- 2119953277-30-0000
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
TOLUENE		0.1-<0.3%
CAS number: 108-88-3	EC number: 203-625-9	REACH registration number: 01- 2119471310-51-0000
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304		
The full text for all hazard sta	tements is displayed in Section 16.	
SECTION 4: First aid measu	res	
4.1. Description of first aid m	easures	
General information	Get medical attention if any discomfort contin contamination. Move affected person to fresh comfortable for breathing.	nues. Remove affected person from source of h air and keep warm and at rest in a position
Inhalation	If spray/mist has been inhaled, proceed as for keep warm and at rest in a position comfortation	bllows. Move affected person to fresh air and ble for breathing.
Ingestion	Contact physician if larger quantity has been	consumed. Rinse mouth thoroughly with water.

Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Do not rub eye.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.
Inhalation	May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause temporary eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 12

6.3. Methods and material for containment and cleaning up

Section 13.

Methods for cleaning up Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

- 7.3. Specific end use(s)
- Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

TOLUENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³ Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Eye/face protection

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Clear liquid.
Colour	Red.
Odour	Oil-like.
Melting point	Not determined.
Initial boiling point and range	>250°C @
Flash point	206°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.858g/cm³ @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	44.0 cSt @ 40°C
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not applicable.

10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Toxicological effects	No information available.
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged and frequent contact may cause redness and irritation.
	May cause temporary eye irritation.
SECTION 12: Ecological Infor	mation
Ecotoxicity	Dangerous for the environment if discharged into watercourses. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
12.1. Toxicity	
Acute toxicity - fish	Not available.
Acute toxicity - aquatic invertebrates	Not available.
12.2. Persistence and degrada	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is insoluble in water and will spread on the water surface.
Adsorption/desorption coefficient	Not available.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	<u>e</u>
Not applicable.	
14.3. Transport hazard class(e	<u>es)</u>
No transport warning sign requ	uired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant No.	
14.6. Special precautions for u	Iser
Not applicable.	
14.7. Transport in bulk accordi	ing to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
National regulations	EH40/2005 Workplace exposure limits
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
15.2. Chemical safety assessment	nent
No chemical safety assessment has been carried out.	
SECTION 16: Other information	n

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	28/01/2013
Revision	10
Supersedes date	05/10/2012 v9

SDS status	Approved.
SDS status Hazard statements in full	 H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects. EUH208 Contains 2-PROPANOL, 1-(TERT-DODECYLTHIO) May produce an allergic reaction.