

PRODUCT INFORMATION SHEET

CARLUBE CVT-U CONTINUOUSLY VARIABLE TRANSMISSION FLUID

DESCRIPTION

Carlube CVT Fluid is a fully synthetic, high performance transmission fluid formulated to protect against gear scuffing and wear to Continuously Variable Transmissions. Carlube CVT Fluid provides high metal to metal friction, good anti-wear and oxidation performance and offers high anti-shudder durability. The excellent shear stability improves efficiency and durability of the belt/pulley system used in CVT's.

ADVANTAGES

- Universal CVT Fluid
- High metal to metal friction
- High anti-shudder durability
- · Excellent shear stability
- · Good anti-wear and oxidation performance

APPLICATION

Note: Not suitable for Toyota & Ford Hybrid engines,

Suitable for use in all belt and chain applications meeting the following specifications.

PERFORMANCE LEVEL

- Audi/VW TL 52180; G052 180
- Honda HMMF
- Nissan NS-2
- Subaru NS-2/ Lineartronic CVTF
- Hyundai/ Kia SP-III
- Dodge/Jeep NS-2/CVTF +4
- Ford CVT23
- Ford CVT30/ Mercon C
- Toyota TC
- Mitsubishi CVTF-J1/SP-III
- Mini Cooper EZL 799
- Suzuki TC/NS-2/CVT Green 1
- GM/Saturn DEX-CVT
- MB 236.20

PROPERTIES

NOT ENTILE		
Appearance		Low Viscosity Oil
Color		Red
Density @ 15℃		0.860
Kinematic Viscosity	@ 40℃	32.5
(mm ² /s)	@ 100°C	7.20
Viscosity Index (VI)		195
Pour Point (℃)		-48
Flash Point (℃)		195

AVAILABILITY

1L- XVT001

21/05/12 Page 1 of 2



DISCLAIMER

This Product Information Sheet does not constitute to any extent a fitness for purpose warranty or a quality specification. It is intended to be indicative only of the general characteristics of the product(s) and may not be relied upon (in whole or in part) in substitution of nor as a supplement to any of the information and/or instructions and/or warnings set out on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet (which is available on request).

Neither of the publisher of this Product Information Sheet or the product(s) manufacturer accepts liability for the failure of any person to observe and follow the information and/or instructions and/or warnings on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet.

Any person selecting and using or causing the product(s) to be used for a specific purpose or any third party recommending the product(s) for a specific purpose without in either case first making all appropriate inquiries as to the suitability of the product(s) for the intended purpose does so at his/her/their own risk and no liability is accepted by the publisher or the product(s) manufacturer for any consequent loss, damage or injury, other than such liability as may not (by operation of law) be excluded.

This Product Information Sheet does not apply to the use of the product(s) in any combination or with other products or materials.

Users of a product or products marked "For Professional Use Only are deemed to declare and acknowledge for themselves professional levels of skill, knowledge, competence and experience in the selection and use of such product(s).

Product Information Sheets are updated from time to time and inquiries should be made on a regular basis to ensure that this is the latest version available.

TETROSYL LIMITED BEVIS GREEN WORKS WALMERSLEY BURY BL9 6RE 0161 764 5981 0161 797 5899 info@tetrosyl.com

21/05/12 Page 2 of 2