

SAFETY DATA SHEET COMPLEX EP2 GREASE

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	COMPLEX EP2 GREASE	
Product number	YLC003, YLC400	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Lubricating grease.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	TETROSYL EUROPE 79 rue du chemin vert 59.273 Fretin TEL: 03 20 28 06 30 qualite@tetrosyl-france.com	
Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com	
1.4. Emergency telephone nu	umber	
Emergency telephone	+44 (0)161 764 5981 (24 hrs)	
SECTION 2: Hazards identification		
2.1. Classification of the subs	stance or mixture	
Classification (SI 2019 No. 7)		
Physical hazards	Not Classified	
Health hazards Environmental hazards	Eye Irrit. 2 - H319 Not Classified	
	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	H319 Causes serious eye irritation.	

Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

Not applicable.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
DISTILLATES, HYDROTREATED <3% DMSO EXTRACT (IP 346)	HEAVY PARAFFINIC	30-<60%
CAS number: 64742-54-7	EC number: 265-157-1	UK REACH registration number: UK-01- 1759217276-5-0000
Classification Asp. Tox. 1 - H304		
PHOSPHORODITHIOIC ACID, M AND PENTYL) ESTERES, ZINC S	•	1-<2%
CAS number: 68457-79-4	EC number: 270-608-0	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318		

Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Do not rub eye.
4.2. Most important sympto	oms and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.

COMPLEX EP2 GREASE

Inhalation	May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Allergic rash.
Eye contact	May cause temporary eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.
SECTION 7: Handling and sto	rage

3/8

7.1. Precautions for safe handling

Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.	
7.2. Conditions for safe stor	age, including any incompatibilities	
Storage precautions	Keep containers upright. Store in tightly-closed, original container.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC <3% DMSO EXTRACT (IP 346) (CAS: 64742-54-7)

DNEL

Workers - Inhalation; Long term systemic effects: 2.73 mg/m³ Workers - Dermal; Long term systemic effects: 0.97 mg/kg General population - Oral; Long term systemic effects: 0.74 mg/kg Workers - Inhalation; Long term local effects: 5.58 mg/m³ General population - Inhalation; Long term local effects: 1.19 mg/m³

8.2. Exposure controls

Protective equipment





SECTION 9: Physical and chemical properties	
Respiratory protection	No specific recommendations.
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

9.1. Information on basic physical and chemical properties

Appearance	Grease.
Colour	Brown.
Odour	Characteristic.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	>250°C @ 1.013 hPa
Flash point	>150°C°C
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.900g/cm³ @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	>30,000 cP @ 20°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	Ictivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

 Hazardous decomposition
 Does not decompose when used and stored as recommended.

 products
 Products

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Toxicological effects	No information available.	
Acute toxicity - oral Summary	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Summary	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Summary	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Summary	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Summary	Based on available data the classification criteria are not met.	
Respiratory sensitisation Summary	Based on available data the classification criteria are not met.	
Skin sensitisation Summary	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.	
Carcinogenicity Summary	Based on available data the classification criteria are not met.	
Reproductive toxicity Summary	Based on available data the classification criteria are not met.	
Specific target organ toxicity -		
Summary	Based on available data the classification criteria are not met.	
Specific target organ toxicity - Summary	repeated exposure Based on available data the classification criteria are not met.	
Aspiration hazard Summary	Based on available data the classification criteria are not met.	
Inhalation	No specific health hazards known.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Prolonged and frequent contact may cause redness and irritation.	
Eye contact	Causes serious eye irritation.	
SECTION 12: Ecological information		

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity	
Acute toxicity - fish	Not available.
Acute toxicity - aquatic invertebrates	Not available.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No	o data available on bioaccumulation.
------------------------------	--------------------------------------

- Partition coefficient Not determined.
- 12.4. Mobility in soil
- Adsorption/desorption Not available.

coefficient

assessment

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations		
13.1. Waste treatment me	ethods	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Regulatory Department
Revision date	07/04/2022
Revision	12
Supersedes date	25/01/2022
SDS number	31684
SDS status	Approved.
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.