

# SAFETY DATA SHEET CARLUBE REMUS 46 HYDRAULIC OIL

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name CARLUBE REMUS 46 HYDRAULIC OIL

Product number YSL025, YSL199

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

# 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL EUROPE

79 rue du chemin vert

59.273 Fretin

TEL: 03 20 28 06 30 qualite@tetrosyl-france.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY

0161 764 5981 0161 797 5899 info@tetrosyl.com

## 1.4. Emergency telephone number

**Emergency telephone** +44 (0)161 764 5981 (24 hrs)

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

**Human health** See Section 11 for additional information on health hazards.

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

## 2.3. Other hazards

Not applicable.

#### CARLUBE REMUS 46 HYDRAULIC OIL

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# DISTILLATES. HYDROTREATED HEAVY PARAFFINIC

10-<30%

<3% DMSO EXTRACT (IP 346)

CAS number: 64742-54-7 EC number: 265-157-1 UK REACH registration number: UK-01-

1759217276-5-0000

Classification

Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General information** Remove affected person from source of contamination. Get medical attention if any discomfort

continues.

Inhalation Get medical attention if any discomfort continues.

Ingestion Consult a physician for specific advice.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue,

dizziness and nausea.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Allergic

Eye contact May cause temporary eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

media

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion

hazards noted.

Hazardous combustion

products

vapours. Oxides of carbon.

#### CARLUBE REMUS 46 HYDRAULIC OIL

#### 5.3. Advice for firefighters

Protective actions during

No specific firefighting precautions known.

firefighting

Special protective equipment

Leave danger zone immediately.

for firefighters

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces.

#### 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up For waste disposal, see Section 13. Wear protective clothing as described in Section 8 of this

safety data sheet. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or

watercourses. Absorb spillage with non-combustible, absorbent material.

## 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and

dispose of spillage as indicated in Section 13.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions**Good personal hygiene procedures should be implemented. Wash hands and any other

contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes,

and do not put rags moistened with oil into pockets.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

# Occupational exposure limits

## DIPROPYLENE GLYCOL MONOMETHYL ETHER

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³ Sk

## **NAPHTHALENE**

Long-term exposure limit (8-hour TWA): 10 53 Short-term exposure limit (15-minute): 15 80

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

## CARLUBE REMUS 46 HYDRAULIC OIL

## DISTILLATES, HYDROTREATED HEAVY PARAFFINIC <3% DMSO EXTRACT (IP 346) (CAS: 64742-54-7)

**DNEL** Workers - Inhalation; Long term systemic effects: 2.73 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 0.97 mg/kg

General population - Oral; Long term systemic effects: 0.74 mg/kg

Workers - Inhalation; Long term local effects: 5.58 mg/m<sup>3</sup>

General population - Inhalation; Long term local effects: 1.19 mg/m³

NAPHTHALENE (CAS: 91-20-3)

**DNEL** Workers - Dermal; Long term systemic effects: 3.57 mg/kg

Workers - Inhalation; Long term local effects: 25 mg/m³ Workers - Inhalation; Long term systemic effects: 25 mg/m³

PNEC Sediment (Freshwater); 0.0672 mg/kg

Sediment (Marinewater); 0.0672 mg/kg

STP; 2.9 mg/l Soil; 0.0533 mg/kg

#### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level.

**Respiratory protection** No specific recommendations.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Green.
Odour Oil-like.

pH Not determined.Melting point Not determined.

Initial boiling point and range >250°C @ 1013 hPa

Flash point >150°C

## CARLUBE REMUS 46 HYDRAULIC OIL

**Evaporation rate** Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

**Relative density** 0.870g/cm @ 20°C

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

**Decomposition Temperature** Not determined.

**Viscosity** 8.5 mm<sup>2</sup>/s @ 100°C 45 mm<sup>2</sup>/s @ 40°C

9.2. Other information

Other information None.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** No information available.

Acute toxicity - oral

**Summary** Based on available data the classification criteria are not met.

Acute toxicity - dermal

**Summary** Based on available data the classification criteria are not met.

Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

#### CARLUBE REMUS 46 HYDRAULIC OIL

Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Summary** Based on available data the classification criteria are not met.

Respiratory sensitisation

**Summary** Based on available data the classification criteria are not met.

Skin sensitisation

**Summary** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Summary** Based on available data the classification criteria are not met.

Carcinogenicity

**Summary** Based on available data the classification criteria are not met.

Reproductive toxicity

**Summary** Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**Summary** Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**Summary** Based on available data the classification criteria are not met.

**Aspiration hazard** 

**Summary** Based on available data the classification criteria are not met.

Acute and chronic health

hazards

Because of the product's quantity and composition, the health hazard is regarded as low.

#### SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or

frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic

Not available.

invertebrates

#### 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Adsorption/desorption

Not available.

coefficient

# 12.5. Results of PBT and vPvB assessment

#### CARLUBE REMUS 46 HYDRAULIC OIL

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects Not available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Absorb in vermiculite, dry sand or earth and place into

containers. Dispose of waste via a licensed waste disposal contractor.

# **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

# 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

# **CARLUBE REMUS 46 HYDRAULIC OIL**

**General information** Only trained personnel should use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Regulatory Department

Revision date 20/04/2022

Revision 14

SDS status

Supersedes date 20/04/2022

**Hazard statements in full** H304 May be fatal if swallowed and enters airways.

Approved.

The information provided in this document has been compiled on the basis of our current knowledge and is believed to be in accordance with the requirements of the Dangerous Substances Directive, Dangerous Preparations Directive and Safety Data Sheets Directive. The information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. The conditions and extent of storage and use of material are outside of our control and within the control of the possessor or user. Consequently it is the responsibility of the possessor or user to satisfy themselves as to the completeness of such information and the suitability of the material for their own particular circumstances, conditions or use.